



## Analogue audio interconnect cables

*DUAL Cable is a quality dual in-line interconnect cable with individual screenings of aluminium foil, tin plated OFC conductors. Precision RCA6 plug connectors. Additional meter pair 8 €*

DUAL	RCA	Ice Blue	0.5m pair	64
DUAL	RCA	Ice Blue	1m pair	68
DUAL	RCA	Ice Blue	2m pair	76
DUAL	RCA	Ice Blue	3m pair	84
DUAL	RCA	Ice Blue	4m pair	92

*EFF - Equalised Frequency Flow: Two Silver plated and tube shaped conductors with a PE center core, equalizing skin effect frequency flow (phasing frquencies). Conductors are individually screened. Additional meter pair 32 €*

EFF-I X	RCA	Ice Blue	1m pair	117
EFF-I X	RCA	Ice Blue	2m pair	149
EFF-I SL	RCA Sq. Lock	Ice Blue	1m pair	129
EFF-I SL	RCA Sq. Lock	Ice Blue	2m pair	161
EFF-I XLR	XLR	Ice Blue	1m pair	125
EFF-I XLR	XLR	Ice Blue	2m pair	157

*SWORD I - Reference Analogue Audio Interconnect Cable with 12 insulated conductors, 6 conductors are wound clockwise, 6 are wound counter clockwise and allows perfect velocity over the whole frequency range. This way of strand orientation, efficiently counteracts negative electrical interference giving all audible frequencies uniform transmission conditions and no open window for degrading noise to enter. That is what distinguishes a really transparent cable. Additional meters on request.*

SWORD - I SL	RCA	Transparent Ice Blue	1m pair	553
SWORD - I XLR	XLR	Transparent Ice Blue	1m pair	602

*PHONO 2RCS-CS is a dual channel connection between a turntable and a RIAA phono stage or a receiver with a dedicated phono input including the Earth Link. Supra Phono's low capacitance and carbon/nylon shield, its noise interference immunity, make a dead silent cable suitable for low output moving coil cartridges. Further the low capacitance allow for best transient response, without damping or slowing down the musical beat.*

PHONO	2 RCA-SC	Ice Blue	1m pair	106
PHONO	2 RCA-SC	Ice Blue	1,5m pair	114
PHONO	2 RCA-SC	Ice Blue	2m pair	122

*SUBLINK Subwoofer cable (Single) is symmetrically twisted to avoid the magnetic pickup. Semiconductive Nylon screen is very strong and flexible and has extremely good shielding propertes.*

SUBLINK	RCA	Ice Blue	2m piece	44
SUBLINK	RCA	Ice Blue	4m piece	54
SUBLINK	RCA	Ice Blue	6m piece	64
SUBLINK	RCA	Ice Blue	8m piece	74
SUBLINK	RCA	Ice Blue	10m piece	84
SUBLINK	RCA	Ice Blue	12m piece	94
SUBLINK	XLR	Ice Blue	Available on request	

## Analogue audio interconnect cables

*BILINE MP is a concentric twin-coax interconnect cable. Ideal for PC, I-pod, I-Phone, I-Pad or quality MP3. Each pair is spec screened and jacketed / High quality stereo Mini-Jack connector.*

<b>BILINE - MP</b>	Mini jack MP8 / 2 RCA	Ice Blue	1m piece	<b>61</b>
<b>BILINE - MP</b>	Mini jack MP8 / 2 RCA	Ice Blue	2m piece	<b>67</b>
<b>BILINE - MP</b>	Mini jack MP8 / 2 RCA	Ice Blue	4m piece	<b>79</b>

*MP CABLE interconnect cable using 3.5 mm stereo mini jack. Gold plated & fully shielded make them ideal for connecting your mobile devices to your analogue Hi-Fi system , directly to active speakers, computer or in car stereo.*

<b>MP CABLE</b>	3.5mm mini jack	Ice Blue	0.5m piece	<b>12</b>
<b>MP CABLE</b>	3.5mm mini jack	Ice Blue	0.8m piece	<b>13</b>
<b>MP CABLE</b>	3.5mm mini jack	Ice Blue	1.2m piece	<b>14</b>
<b>MP CABLE</b>	3.5mm mini jack / 2 RCA	Ice Blue	0.5m piece	<b>26</b>
<b>MP CABLE</b>	3.5mm mini jack / 2 RCA	Ice Blue	1m piece	<b>28</b>
<b>MP CABLE</b>	3.5mm mini jack / 2 RCA	Ice Blue	2m piece	<b>32</b>

## Digital Audio and Analogue Video interconnect cables

*AES-EBU DAC: Behind professional specifications, optimal screening with strong semiconductive nylon ribbon. 110  $\Omega$ , fast interconnect of extremely low capacitance.*

<b>DAC DIGITAL</b>	AES-EBU XLR	Ice Blue	1m piece	<b>56</b>
<b>DAC DIGITAL</b>	AES-EBU XLR	Ice Blue	2m piece	<b>64</b>

*Trico is extremely stable at all frequencies, it is used for Digital Audio or Video Composite (Precision 75  $\Omega$  coax cable). Silver plated center core, double screenings.*

<b>TRICO RCA</b>	RCA-RCA	Ice Blue	1m piece	<b>68</b>
<b>TRICO RCA</b>	RCA-RCA	Ice Blue	2m piece	<b>84</b>
<b>TRICO RCA</b>	RCA-RCA	Ice Blue	4m piece	<b>116</b>

## Digital Interconnect cables / HDMI HD5 - HD5s

*HDMI HD5 offering HDMI High Speed with Ethernet & 4K resolution. SUPRA HD5 is tested and approved in compliance with the latest test provisions by HDMI's Accredited Testing Center in the USA. A secure quality guarantee of our HDMI cables.*

<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>0.5m piece</b>	<b>58</b>
<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>1m piece</b>	<b>62</b>
<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>1.5m piece</b>	<b>66</b>
<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>2m piece</b>	<b>70</b>
<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>3m piece</b>	<b>78</b>
<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>4m piece</b>	<b>91</b>
<b>HDMI - HDMI HD5/S</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>5m piece</b>	<b>107</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>6m piece</b>	<b>122</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>8m piece</b>	<b>148</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>10m piece</b>	<b>174</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>12m piece</b>	<b>196</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>15m piece</b>	<b>239</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>20m piece</b>	<b>296</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>25m piece</b>	<b>363</b>
<b>HDMI - HDMI HD5</b>	<b>MET-S</b>	<b>Interchange - able Shell Ice Blue</b>	<b>30m piece</b>	<b>428</b>
<b>HDMI - Install Kit</b>	<b>MET - B</b>	<b>Bent Housing / Nylon Braid</b>	<b>1 piece</b>	<b>10</b>

## HDMI AOC - Active Optical Cable

<http://www.jenving.com/products/view/hdmi-hdmi-aoc-optical-1001102084>

<b>HDMI - HDMI 4K AOC/HDR</b>	<b>6m piece</b>	<b>399</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>8m piece</b>	<b>419</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>10m piece</b>	<b>429</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>12m piece</b>	<b>439</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>15m piece</b>	<b>459</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>20m piece</b>	<b>479</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>25m piece</b>	<b>499</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>30m piece</b>	<b>539</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>40m piece</b>	<b>589</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>50m piece</b>	<b>649</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>75m piece</b>	<b>799</b>
<b>HDMI - HDMI 4K AOC/HDR</b>	<b>100m piece</b>	<b>999</b>

## HDMI - DVI Connectors / Adapters / Cable

<b>HDMI XT80 (2 x Cat7)</b>	<b>Extender HDMI High Speed (up to 80m)</b>	<b>piece</b>	<b>342</b>
<b>HDMI SA 90 +</b>	<b>Adapter HDMI F-M Right Angle</b>	<b>piece</b>	<b>20</b>
<b>HDMI SA 90 -</b>	<b>Adapter HDMI F-M Left Angle</b>	<b>piece</b>	<b>20</b>
<b>HDMI F - DVI M</b>	<b>Adapter (Female &gt; Male)</b>	<b>piece</b>	<b>33</b>
<b>DVI F - HDMI M</b>	<b>Adapter (Female &gt; Male)</b>	<b>piece</b>	<b>33</b>
<b>DVI-D Male</b>	<b>DVI-D 18+1 connector</b>	<b>piece</b>	<b>21</b>
<b>HF 100 HDMI/DVI</b>	<b>CABLE 100 m bobin</b>	<b>per meter</b>	<b>9</b>
<b>HD5 HDMI/DVI/DP</b>	<b>CABLE 75 m bobin</b>	<b>per meter</b>	<b>12.50</b>

## Digital Optical interconnect cables

*Fibre Optic - Zero Attenuation Concept, innovative curving of fibre core tip gives a zero divergence loss. Strength and flexibility of the fibre is a warranty for long life use, available only in special lengths (see below).*

<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue (Bulk)	0.3m piece	<b>35</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	1m piece	<b>46</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	2m piece	<b>58</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	4m piece	<b>72</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	6m piece	<b>98</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	8m piece	<b>115</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	10m piece	<b>131</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	15m piece	<b>171</b>
<b>ZAC Toslink</b>	Toslink - Toslink	Ice Blue	20m piece	<b>195</b>
<b>ZAC MinTos</b>	Mini plug / Toslink	Ice Blue (Bulk)	0.3m piece	<b>42</b>
<b>ZAC MinTos</b>	Mini plug / Toslink	Ice Blue	1m piece	<b>46</b>
<b>ZAC MinTos</b>	Mini plug / Toslink	Ice Blue	2m piece	<b>58</b>
<b>ZAC MinTos</b>	Mini plug / Toslink	Ice Blue	4m piece	<b>72</b>
<b>ZAC Mini</b>	Mini plug / Mini plug	Ice Blue (Bulk)	0.3m piece	<b>42</b>
<b>ZAC Mini</b>	Mini plug / Mini plug	Ice Blue	1m piece	<b>46</b>

## Digital RJ45 Ethernet interconnect cables

*CAT 8 is used advantageously in TCP/IP and UDP application where correct data information is critical, e.g. 4K and 8K video streaming, high quality music streaming, gaming, data centers and in-building installations. By upping the performance 4 times to 2000MHz you are more likely to have no incorrect data being sent or not being corrected by applications in time as there is much more bandwidth to work with. This can be very important to avoid for example video loss in streaming or avoiding stuttering in music streaming and voice communication.*

<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	0.5m piece	<b>36</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	1m piece	<b>41</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	2m piece	<b>49</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	3m piece	<b>57</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	4m piece	<b>65</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	5m piece	<b>75</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	8m piece	<b>95</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	10m piece	<b>110</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	15m piece	<b>150</b>
<b>CAT 8 Stp patch</b>	RJ45 - FR Hallogen Free	Ice Blue	20m piece	<b>185</b>

## LoRad Screened mains cables

*Low Radiation of electric and magnetic alternating fields - LoRad Screened 240 V Mains Cable, Full European Safety Approval, protects your equipment from radiated mains noise as well as from RF pick-up. Customized lengths available*

<b>LoRad 1,5</b>	<b>Bobin 100m</b>	<b>Supra LoRad 3 x 1,5mm Ice Blue</b>	<b>per m</b>	<b>10</b>
<b>LoRad 2,5</b>	<b>Bobin 50m</b>	<b>Supra LoRad 3 x 2,5mm Ice Blue</b>	<b>per m</b>	<b>14</b>
<b>LoRad LE 2,5 Silver</b>	<b>Bobin 50m</b>	<b>Supra LoRad 3 x 2,5mm Anthracite</b>	<b>per m</b>	<b>20</b>

<b>LoRad 2,5 CS-EU</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Ice Blue</b>	<b>1m piece</b>	<b>70</b>
<b>LoRad 2,5 CS-EU</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Ice Blue</b>	<b>1.5m piece</b>	<b>77</b>
<b>LoRad 2,5 CS-EU</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Ice Blue</b>	<b>2m piece</b>	<b>84</b>
<b>LoRad 2,5 CS-EU</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Ice Blue</b>	<b>4m piece</b>	<b>112</b>

Same prices for LoRad 2,5 CS-16- EU (16 amp horizontal contacts)

<b>LoRad LE 2,5 Silver</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Anthracite</b>	<b>1m piece</b>	<b>76</b>
<b>LoRad LE 2,5 Silver</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Anthracite</b>	<b>1.5m piece</b>	<b>86</b>
<b>LoRad LE 2,5 Silver</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Anthracite</b>	<b>2m piece</b>	<b>96</b>
<b>LoRad LE 2,5 Silver</b>	<b>Cord Set</b>	<b>IEC / SCHUKO Anthracite</b>	<b>4m piece</b>	<b>136</b>

Same prices for LoRad 2,5 Silver CS-16-EU (16 amp horizontal contacts)

## LoRad MD-BE series - Filtered & non filtered mainsblock

*LoRad is a patented range, designed using a unique construction. While these products help shield your home from electronic interference fields you can also help protect your equipment against surges and other disruptions. Fully Plug-in schematics inside carton box.*

<b>MD02-BE</b>	<b>Powerblock</b>	<b>NIF (Non Intrusive Transient Filter) - 2 outputs</b>		<b>140</b>
<b>MD04-BE</b>	<b>Powerblock</b>	<b>NIF (Non Intrusive Transient Filter) - 4 outputs</b>		<b>165</b>
<b>MD05-BE</b>	<b>Powerblock</b>	<b>NIF (Non Intrusive Transient Filter) - 5 outputs</b>		<b>172</b>
<b>MD06-BE</b>	<b>Powerblock</b>	<b>NIF (Non Intrusive Transient Filter) - 6 outputs</b>		<b>200</b>
<b>MD06-BE / SP</b>	<b>Powerblock</b>	<b>NIF , with surge protection - 6 outputs</b>		<b>244</b>
<b>MD07-BE</b>	<b>Powerblock</b>	<b>NIF (16 amp IEC) - 7 outputs</b>		<b>210</b>
<b>MD08-BE / SP</b>	<b>Powerblock</b>	<b>NIF , with surge protection - 8 outputs (16 amp IEC)</b>		<b>291</b>
<b>MD10-BE / SP</b>	<b>Powerblock</b>	<b>NIF , with surge protection - 10 outputs (16 amp IEC)</b>		<b>338</b>

**Special Powerblocks available upon request (ex: MD06 fully filtered or no filtering,...)**

<b>MD01-BE 16</b>	<b>DC Blocker</b>			<b>460</b>
-------------------	-------------------	--	--	------------

## Schuko and IEC connectors

<b>SW-EU</b>	<b>Mains Plug</b>	<b>Original Supra Mains plug (grey)</b>	<b>piece</b>	<b>18</b>
<b>SW-EU / A</b>	<b>Mains Plug</b>	<b>Original Supra Mains plug (grey) - Angled</b>	<b>piece</b>	<b>18</b>
<b>SWF-10</b>	<b>IEC Plug</b>	<b>Original Supra IEC connector (grey)</b>	<b>piece</b>	<b>16</b>
<b>SWF-16</b>	<b>IEC Plug</b>	<b>Original Supra IEC special 16 amp for MD 08 - 10</b>	<b>piece</b>	<b>16</b>



## USB 2.0 Type A-B High Speed (USB 3.0 is dual-link not used for USB Audio)

*For digital audio convertors, music streaming from computers, multimedia players, among other devices providing a USB interface. There is a great need for better cables since the failed bit transmissions will undoubtedly be detected when listening to your music, since the error correction and number of re-tries will leave audible traces. The trick is, as always, shielding, separate for each pair of leads correctly twinned and an exact impedance matching of 90ohm, which is vital for these applications. SUPRA USB 2.0 will reward you with a dynamic, rich and detailed music experience.*

<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>1m piece</b>	<b>39</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>2m piece</b>	<b>47</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>3m piece</b>	<b>55</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>4m piece</b>	<b>63</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>5m piece</b>	<b>71</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>8m piece</b>	<b>97</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>10m piece</b>	<b>118</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>12m piece</b>	<b>135</b>
<b>USB 2.0 A-B</b>	<b>High Speed Male-Male Ice Blue</b>	<b>15m piece</b>	<b>159</b>
<b>USB 2.0 AA</b>	<b>Male-Female</b>	<b>1m piece</b>	<b>39</b>
<b>USB 2.0 AA</b>	<b>Male-Female</b>	<b>2m piece</b>	<b>47</b>
<b>USB 2.0 A mini B</b>	<b>Male-Male</b>	<b>1m piece</b>	<b>39</b>
<b>USB 2.0 A mini B</b>	<b>Male-Male</b>	<b>2m piece</b>	<b>47</b>
<b>USB 2.0 A micro B</b>	<b>Male-Male</b>	<b>1m piece</b>	<b>39</b>
<b>USB 2.0 A micro B</b>	<b>Male-Male</b>	<b>2m piece</b>	<b>47</b>

## DisplayPort DP-DP

*DisplayPort is an interface for computer graphics which now reaches also projectors and begin to include TV sets. Our Supra proprietary 24K goldplated connectors are robust and incorporates a locking mechanism. The highly appreciated and proven Supra HD5/slim cable provides for lightning-fast, well shielded and accurate signal transmissions allowing any graphics to perform at its best. All features of the DisplayPort interface is incorporated in our new cable and we are proud to now being able to supply photographers, film makers, 3D artists, drawing engineers, computer gamers, etc, a cable that will not slow down or blurr video or pictures.*

<b>DISPLAYPORT</b>	<b>DP - DP Male Ice Blue</b>	<b>1m piece</b>	<b>68</b>
<b>DISPLAYPORT</b>	<b>DP - DP Male Ice Blue</b>	<b>1,5m piece</b>	<b>73</b>
<b>DISPLAYPORT</b>	<b>DP - DP Male Ice Blue</b>	<b>2m piece</b>	<b>78</b>
<b>DISPLAYPORT</b>	<b>DP - DP Male Ice Blue</b>	<b>3m piece</b>	<b>86</b>
<b>DISPLAYPORT</b>	<b>DP - DP Male Ice Blue</b>	<b>4m piece</b>	<b>98</b>
<b>DISPLAYPORT</b>	<b>DP - DP Male Ice Blue</b>	<b>5m piece</b>	<b>114</b>

## Analogue Video interconnect cables

*AV 6.4 - Multi-core of six precision 75 Ω coax cables. Individually screened and commonly screened. For accurate audio transmission, RGB, Composite, S-VHS, (synchros)..., Price per meter 19 €*

*AV 4 - Multi-core of four 75 Ω quality coax cables, variables for RGB (+ Synchro) ...Individually screened, of very low capacitance..., Price per meter 11 €*

*AV 3 - Multi-core of three 75 Ω quality coax cables, ideal for accurate RGB transmission - YUV - Component. Individually screened, of very low capacitance..., Price per meter 8,50 €*

*AV 2 - Multi-core of two 75 Ω quality coax cables. Excellent S-VHS cable, conductors are individually screened, PE foam insulation..., Price per meter 8 €*

## TV/Radio (RF) High Precision Antennae Cable

*Aerial (teledistribution) Antennae Cable M⇔F, 75 Ohm High Stability with excellent screening, solid and silver plated center core, high grade connectors, for quality Radio/TV Applications without signal loss.*

ANCO - TV	F / M ACON RF Plugs	Ice Blue	1m piece	49
ANCO - TV	F / M ACON RF Plugs	Ice Blue	2m piece	58
ANCO - TV	F / M ACON RF Plugs	Ice Blue	4m piece	76

## Connectors - Ground Separators, ...

*High End Audio Hum-blocker, against : hum, distortion, ground loops, sparks, etc. - Problem solvers for video - All connectors are insulated with Teflon to stand the right soldering temperatures - All connectors have Gold plated contacts.*

CAT7+	RJ 45 Ethernet plug	Strong cable clamping.	piece	5
CAT8	RJ 45 Ethernet plug	Strong cable clamping.	piece	5
ACON TV M / F	Male + female RF plugs	Aerial 75 Ω connector	set	20
MP-8	Mini Jack	Male Stereo	piece	12
RCA-6	RCA plugs	For 6.0 mm cable	pair	12
PPX	RCA plugs	Max. 8.5 mm cable	pair	27
PPSL	RCA plugs	Squeeze Lock - Max. 7.7 mm	pair	33
FORK	Speaker plug 5mm	Banana adapter included	2 pairs	26
FORK XL	Speaker plug 6,5mm	Large size	2 pairs	26
SWIFT M / F	XLR Male & Female plug	Patented, with gold plated pins	set	32
AGS-10k Audio	4 RCA Audio	High End (HUM BLOCKER)	piece	110
GSS TV EU	Ground separator	Sraight Shape	piece	29
GSB TV EU	Ground separator	Bent Shape	piece	29
GSS Aerial F-CON	Ground separator	Fem to Fem F-Pin + 2 Gold Male	set (3)	21



## Loudspeaker connectors & terminations

<u>COMBICON Crimp</u>	Crimp Body CB-01 M6	For Classic 1.6,...	piece	4
	Crimp Body CB-02 M6	For Classic 2.5, Ply 2.0, Rondo 2.5,...	piece	4
	Crimp Body CB-04 M6	For Classic 4.0, Ply 3.4, Rondo 4.0,...	piece	4
	Crimp Body CB-06 M6	For Classic 6.0,...	piece	4
<u>SLEEVES</u>	Sleeve S1-2 Black or Red	For Classic 1.6, 2.5, Ply 2.0, Rondo 2.5	piece	0,6
	Sleeve S4-6 Black or Red	For Classic 4.0, 6.0, Ply 3.4, Rondo 4.0	piece	0,6
	Sleeve S-7 Black or Red	For Ply 3.4s	piece	0.9
	Sleeve S-9 Black or Red	For Sword	piece	0.9
	Sleeve S-15 Black or Red	For Quadrax	piece	0.9
<u>COMBICON M6</u>	M6 BODY Red	Fits up to 6 mm cable	piece	6
	M6 BODY Black	Fits up to 6 mm cable	piece	6
<u>COMBICON Part</u>	M6 Banana / BFA pin	Fits CombiCon M6 and Crimp M6	piece	3
<u>COMBICON Part</u>	M6 Spade part	Fits CombiCon M6 and Crimp M6	piece	3
<u>BOXCON</u>	Banana Chassis	High Quality Chassis plugs	pair	43


**JenTech<sup>®</sup> Cables**  
 MADE IN SWEDEN

*JenTech Sky II cables have multistranded Oxygen Free Copper, the wire has a OFC purity degree of 5 N (0,99999). High quality tooling for extrusion of the PVC insulation.*

<b>SKY II</b>	2 x 1.6	Black, Transparent or White	200 m bobin	<b>2,30 / m</b>
<b>SKY II</b>	2 x 2.5	Black, Transparent or White	200 m bobin	<b>3,70 / m</b>
<b>SKY II</b>	2 x 4.0	Black, Transparent or White	100 m bobin	<b>5,70 / m</b>

*SkyFlex / Round, twisted conductors and highly flexible, best of the JenTech Sky cable family, SkyFlex is particularly adapted for installation. The slim and flexible cable construction makes the cable ideal for wiring in conduits.*

<b>SKY FLEX</b>	2 x 2.5	White	100 m bobin	<b>5,60 / m</b>
-----------------	---------	-------	-------------	-----------------

## Digital Interconnect - HDMI - Ethernet v1.4 High Speed

JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	1m piece	<b>34</b>
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	1,5m piece	<b>38</b>
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	2m piece	<b>42</b>
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	3m piece	<b>50</b>
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	4m piece	<b>58</b>
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	5m piece	<b>64</b>
JenTech HDMI A - MINI C	High Speed Ethernet	Silky White Braided Finish	1m piece	<b>36</b>
JenTech HDMI A - MINI C	High Speed Ethernet	Silky White Braided Finish	2m piece	<b>42</b>
JenTech HDMI A - MINI C	High Speed Ethernet	Silky White Braided Finish	3m piece	<b>48</b>