

Analogue audio interconnect cables

DUAL Cable is a quality dual in-line interconnect cable with individual screenings of aluminium foil, tin plated OFC conductors. Precision RCA6 plug connectors. Additional meter pair 10 €

DUAL	RCA	Ice Blue	0.5m pair	68
DUAL	RCA	Ice Blue	1m pair	73
DUAL	RCA	Ice Blue	2m pair	83
DUAL	RCA	Ice Blue	3m pair	93
DUAL	RCA	Ice Blue	4m pair	103

EFF - Equalised Frequency Flow: Two Silver plated and tube shaped conductors with a PE center core, equalizing skin effect frequency flow (phasing frquencies). Conductors are individually screened. Additional meter pair 35 €

EFF-I X	RCA	Ice Blue	1m pair	120
EFF-I X	RCA	Ice Blue	2m pair	155
EFF-I SL	RCA Sq. Lock	Ice Blue	1m pair	133
EFF-I SL	RCA Sq. Lock	Ice Blue	2m pair	168
EFF-I XLR	XLR	Ice Blue	1m pair	128
EFF-I XLR	XLR	Ice Blue	2m pair	163

SWORD I - Reference Analogue Audio Interconnect Cable with 12 insulated conductors, 6 conductors are wound clockwise, 6 are wound counter clockwise and allows perfect velocity over the whole frequency range. This way of strand orientation, efficiently counteracts negative electrical interference giving all audible frequencies uniform transmission conditions and no open window for degrading noise to enter. That is what distinguishes a really transparent cable. Additional meters on request.

SWORD - I SL	RCA	Transparent Ice Blue	1m pair	570
SWORD - I XLR	XLR	Transparent Ice Blue	1m pair	620

PHONO 2RCS-CS is a dual channel connection between a turntable and a RIAA phono stage or a receiver with a dedicated phono input including the Earth Link. Supra Phono's low capacitance and carbon/nylon shield, its noise interference immunity, make a dead silent cable suitable for low output moving coil cartridges. Further the low capacitance allow for best transient response, without damping or slowing down the musical beat.

PHONO	2 RCA-SC	Ice Blue	1m pair	106
PHONO	2 RCA-SC	Ice Blue	1,5m pair	114
PHONO	2 RCA-SC	Ice Blue	2m pair	122

SUBLINK Subwoofer cable (Single) is symmetrically twisted to avoid the magnetic pickup. Semiconductive Nylon screen is very strong and flexible and has extremely good shielding propertes.

SUBLINK	RCA	Ice Blue	2m piece	45
SUBLINK	RCA	Ice Blue	4m piece	55
SUBLINK	RCA	Ice Blue	6m piece	65
SUBLINK	RCA	Ice Blue	8m piece	75
SUBLINK	RCA	Ice Blue	10m piece	85
SUBLINK	RCA	Ice Blue	12m piece	95
SUBLINK	RCA / XLR	Ice Blue	All lengths available on request	

Analogue audio interconnect cables

BILINE MP is a concentric twin-coax interconnect cable. Ideal for PC, I-pod, I-Phone, I-Pad or quality MP3. Each pair is spec screened and jacketed / High quality stereo Mini-Jack connector.

BILINE - MP	Mini jack MP8 / 2 RCA	Ice Blue	1m piece	63
BILINE - MP	Mini jack MP8 / 2 RCA	Ice Blue	2m piece	69
BILINE - MP	Mini jack MP8 / 2 RCA	Ice Blue	4m piece	81

MP CABLE interconnect cable using 3.5 mm stereo mini jack. Gold plated & fully shielded make them ideal for connecting your mobile devices to your analogue Hi-Fi system , directly to active speakers, computer or in car stereo.

MP CABLE	3.5mm mini jack	Ice Blue	0.5m piece	19
MP CABLE	3.5mm mini jack	Ice Blue	0.8m piece	20
MP CABLE	3.5mm mini jack	Ice Blue	1.2m piece	21
MP CABLE	3.5mm mini jack / 2 RCA	Ice Blue	0.5m piece	27
MP CABLE	3.5mm mini jack / 2 RCA	Ice Blue	1m piece	29
MP CABLE	3.5mm mini jack / 2 RCA	Ice Blue	2m piece	32

Digital Audio and Analogue Video interconnect cables

AES-EBU DAC: Behind professional specifications, optimal screening with strong semiconductive nylon ribbon. 110 Ω , fast interconnect of extremely low capacitance.

DAC DIGITAL	AES-EBU XLR	Ice Blue	1m piece	58
DAC DIGITAL	AES-EBU XLR	Ice Blue	2m piece	66

Trico is extremely stable at all frequencies, it is used for Digital Audio or Video Composite (Precision 75 Ω coax cable). Silver plated center core, double screenings.

TRICO RCA	RCA-RCA	Ice Blue	1m piece	71
TRICO RCA	RCA-RCA	Ice Blue	2m piece	87
TRICO RCA	RCA-RCA	Ice Blue	4m piece	120

Digital Interconnect cables / HDMI HD5 - HD5s

HDMI HD5 offering HDMI High Speed with Ethernet & 4K resolution. SUPRA HD5 is tested and approved in compliance with the latest test provisions by HDMI's Accredited Testing Center in the USA. A secure quality guarantee of our HDMI cables.

HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	0.5m piece	60
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	1m piece	63
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	1.5m piece	68
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	2m piece	72
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	3m piece	80
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	4m piece	95
HDMI - HDMI HD5/S	MET-S	Interchange - able Shell Ice Blue	5m piece	111
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	6m piece	126
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	8m piece	153
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	10m piece	179
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	12m piece	202
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	15m piece	246
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	20m piece	305
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	25m piece	374
HDMI - HDMI HD5	MET-S	Interchange - able Shell Ice Blue	30m piece	441
HDMI - Install Kit	MET - B	Bent Housing / Nylon Braid	1 piece	11

HDMI AOC - Active Optical Cable

<http://www.jenving.com/products/view/hdmi-hdmi-aoc-optical-1001102084>

HDMI - HDMI 4K AOC/HDR			6m piece	399
HDMI - HDMI 4K AOC/HDR			8m piece	419
HDMI - HDMI 4K AOC/HDR			10m piece	429
HDMI - HDMI 4K AOC/HDR			12m piece	439
HDMI - HDMI 4K AOC/HDR			15m piece	459
HDMI - HDMI 4K AOC/HDR			20m piece	479
HDMI - HDMI 4K AOC/HDR			25m piece	499
HDMI - HDMI 4K AOC/HDR			30m piece	539
HDMI - HDMI 4K AOC/HDR			40m piece	589
HDMI - HDMI 4K AOC/HDR			50m piece	649
HDMI - HDMI 4K AOC/HDR			75m piece	799
HDMI - HDMI 4K AOC/HDR			100m piece	999

HDMI - DVI Connectors / Adapters / Cable

HDMI XT80 (2 x Cat7)	Extender HDMI High Speed (up to 80m)		piece	342
HDMI SA 90 +	Adapter HDMI F-M Right Angle		piece	21
HDMI SA 90 -	Adapter HDMI F-M Left Angle		piece	21
HDMI F - DVI M	Adapter (Female > Male)		piece	34
DVI F - HDMI M	Adapter (Female > Male)		piece	34
DVI-D Male	DVI-D 18+1 connector		piece	21
HF 100 HDMI/DVI	CABLE 100 m bobin		per meter	9
HD5 HDMI/DVI/DP	CABLE 75 m bobin		per meter	13

Digital Optical interconnect cables

Fibre Optic - Zero Attenuation Concept, innovative curving of fibre core tip gives a zero divergence loss. Strength and flexibility of the fibre is a warranty for long life use, available only in special lengths (see below).

ZAC Toslink	Toslink - Toslink	Ice Blue	1m piece	47
ZAC Toslink	Toslink - Toslink	Ice Blue	2m piece	59
ZAC Toslink	Toslink - Toslink	Ice Blue	4m piece	74
ZAC Toslink	Toslink - Toslink	Ice Blue	6m piece	101
ZAC Toslink	Toslink - Toslink	Ice Blue	8m piece	118
ZAC Toslink	Toslink - Toslink	Ice Blue	10m piece	135
ZAC Toslink	Toslink - Toslink	Ice Blue	15m piece	179
ZAC Toslink	Toslink - Toslink	Ice Blue	20m piece	200
ZAC MinTos	Mini plug / Toslink	Ice Blue	1m piece	47
ZAC MinTos	Mini plug / Toslink	Ice Blue	2m piece	59
ZAC MinTos	Mini plug / Toslink	Ice Blue	4m piece	74
ZAC Mini	Mini plug / Mini plug	Ice Blue (Bulk)	0.3m piece	43
ZAC Mini	Mini plug / Mini plug	Ice Blue	1m piece	47

Digital RJ45 Ethernet interconnect cables

CAT 8 is used advantageously in TCP/IP and UDP application where correct data information is critical, e.g. 4K and 8K video streaming, high quality music streaming, gaming, data centers and in-building installations. By upping the performance 4 times to 2000MHz you are more likely to have no incorrect data being sent or not being corrected by applications in time as there is much more bandwidth to work with. This can be very important to avoid for example video loss in streaming or avoiding stuttering in music streaming and voice communication.

CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	0.5m piece	38
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	1m piece	42
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	2m piece	51
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	3m piece	59
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	4m piece	68
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	5m piece	77
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	8m piece	98
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	10m piece	113
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	15m piece	154
CAT 8 Stp patch	RJ45 - FR Hallogen Free	Ice Blue	20m piece	190

LoRad Screened mains cables

Low Radiation of electric and magnetic alternating fields - LoRad Screened 240 V Mains Cable, Full European Safety Approval, protects your equipment from radiated mains noise as well as from RF pick-up. Customized lengths available

LoRad 1,5	Bobin 100m	Supra LoRad 3 x 1,5mm Ice Blue	per m	10
LoRad 2,5	Bobin 50m	Supra LoRad 3 x 2,5mm Ice Blue	per m	14
LoRad LE 2,5 Silver	Bobin 50m	Supra LoRad 3 x 2,5mm Anthracite	per m	22

LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	1m piece	73
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	1.5m piece	80
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	2m piece	87
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	3m piece	101
LoRad 2,5 CS-EU	Cord Set	IEC / SCHUKO Ice Blue	4m piece	115

Same prices for LoRad 2,5 CS-16- EU (16 amp horizontal contacts)

LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	1m piece	81
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	1.5m piece	92
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	2m piece	103
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	3m piece	125
LoRad LE 2,5 Silver	Cord Set	IEC / SCHUKO Anthracite	4m piece	147

Same prices for LoRad 2,5 Silver CS-16-EU (16 amp horizontal contacts)

LoRad MD-BE series - Filtered & non filtered mainsblock

LoRad is a patented range, designed using a unique construction. While these products help shield your home from electronic interference fields you can also help protect your equipment against surges and other disruptions. Fully Plug-in schematics inside carton box.

MD02-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 2 outputs	143
MD04-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 4 outputs	173
MD05-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 5 outputs	187
MD06-BE	Powerblock	NIF (Non Intrusive Transient Filter) - 6 outputs	200
MD06-BE / SP	Powerblock	NIF , with surge protection - 6 outputs	250
MD07-BE	Powerblock	NIF (16 amp IEC) - 7 outputs	215
MD08-BE / SP	Powerblock	NIF , with surge protection - 8 outputs (16 amp IEC)	299
MD10-BE / SP	Powerblock	NIF , with surge protection - 10 outputs (16 amp IEC)	348

Special Powerblocks available on request (16 amp, switch, fully filtered or no filtering,...)

MD01-BE 16	DC Blocker		460
-------------------	-------------------	--	------------

Schuko and IEC connectors - gold plated contacts

SW-EU	Mains Plug	Original Supra Mains plug (grey)	piece	19
SW-EU / A	Mains Plug	Original Supra Mains plug (grey) - Angled	piece	19
SWF-10	IEC Plug	Original Supra IEC connector (grey)	piece	17
SWF-16	IEC Plug	Original Supra IEC special 16 amp for MD 08 - 10	piece	17

USB 2.0 Type A-B High Speed (USB 3.0 is dual-link not used for USB Audio)

For digital audio convertors, music streaming from computers, multimedia players, among other devices providing a USB interface. There is a great need for better cables since the failed bit transmissions will undoubtedly be detected when listening to your music, since the error correction and number of re-tries will leave audible traces. The trick is, as always, shielding, separate for each pair of leads correctly twinned and an exact impedance matching of 90ohm, which is vital for these applications. SUPRA USB 2.0 will reward you with a dynamic, rich and detailed music experience.

USB 2.0 A-B	High Speed Male-Male Ice Blue	1m piece	41
USB 2.0 A-B	High Speed Male-Male Ice Blue	2m piece	49
USB 2.0 A-B	High Speed Male-Male Ice Blue	3m piece	58
USB 2.0 A-B	High Speed Male-Male Ice Blue	4m piece	68
USB 2.0 A-B	High Speed Male-Male Ice Blue	5m piece	77
USB 2.0 A-B	High Speed Male-Male Ice Blue	8m piece	100
USB 2.0 A-B	High Speed Male-Male Ice Blue	10m piece	121
USB 2.0 A-B	High Speed Male-Male Ice Blue	12m piece	139
USB 2.0 A-B	High Speed Male-Male Ice Blue	15m piece	163
USB 2.0 AA	Male-Female	1m piece	41
USB 2.0 AA	Male-Female	2m piece	49
USB 2.0 A mini B	Male-Male	1m piece	41
USB 2.0 A mini B	Male-Male	2m piece	49
USB 2.0 A micro B	Male-Male	1m piece	39
USB 2.0 A micro B	Male-Male	2m piece	47

DisplayPort DP-DP

DisplayPort is an interface for computer graphics which now reaches also projectors and begin to include TV sets. Our Supra proprietary 24K goldplated connectors are robust and incorporates a locking mechanism. The highly appreciated and proven Supra HD5/slim cable provides for lightning-fast, well shielded and accurate signal transmissions allowing any graphics to perform at its best. All features of the DisplayPort interface is incorporated in our new cable and we are proud to now being able to supply photographers, film makers, 3D artists, drawing engineers, computer gamers, etc, a cable that will not slow down or blurr video or pictures.

DISPLAYPORT	DP - DP Male Ice Blue	1m piece	70
DISPLAYPORT	DP - DP Male Ice Blue	1,5m piece	75
DISPLAYPORT	DP - DP Male Ice Blue	2m piece	79
DISPLAYPORT	DP - DP Male Ice Blue	3m piece	87
DISPLAYPORT	DP - DP Male Ice Blue	4m piece	101
DISPLAYPORT	DP - DP Male Ice Blue	5m piece	118

Analogue Video interconnect cables

AV 6.4 - Multi-core of six precision 75 Ω coax cables. Individually screened and commonly screened. For accurate audio transmission, RGB, Composite, S-VHS, (synchros)..., Price per meter 19 €

AV 4 - Multi-core of four 75 Ω quality coax cables, variables for RGB (+ Synchro) ...Individually screened, of very low capacitance..., Price per meter 11 €

AV 3 - Multi-core of three 75 Ω quality coax cables, ideal for accurate RGB transmission - YUV - Component. Individually screened, of very low capacitance..., Price per meter 8,50 €

AV 2 - Multi-core of two 75 Ω quality coax cables. Excellent S-VHS cable, conductors are individually screened, PE foam insulation..., Price per meter 8 €

TV/Radio (RF) High Precision Antennae Cable

Aerial (teledistribution) Antennae Cable M\leftrightarrowF, 75 Ohm High Stability with excellent screening, solid and silver plated center core, high grade connectors, for quality Radio/TV Applications without signal loss.

ANCO - TV	F / M ACON RF Plugs	Ice Blue	1m piece	52
ANCO - TV	F / M ACON RF Plugs	Ice Blue	2m piece	59
ANCO - TV	F / M ACON RF Plugs	Ice Blue	4m piece	76

Connectors - Ground Separators, ...

High End Audio Hum-blocker, against : hum, distortion, ground loops, sparks, etc. - Problem solvers for video - All connectors are insulated with Teflon to stand the right soldering temperatures - All connectors have Gold plated contacts.

CAT7+	RJ 45 Ethernet plug	Strong cable clamping.	piece	5
CAT8	RJ 45 Ethernet plug	Strong cable clamping.	piece	5
ACON TV M / F	Male + female RF plugs	Aerial 75 Ω connector	set	20
MP-8	Mini Jack	Male Stereo	piece	13
RCA-6	RCA plugs	For 6.0 mm cable	pair	12
PPX	RCA plugs	Max. 8.5 mm cable	pair	28
PPSL	RCA plugs	Squeeze Lock - Max. 7.7 mm	pair	34
FORK	Speaker plug 5mm	Banana adapter included	2 pairs	27
FORK XL	Speaker plug 6,5mm	Large size	2 pairs	27
SWIFT M / F	XLR Male & Female plug	Patented, with gold plated pins	set	33
AGS-10k Audio	4 RCA Audio	High End (HUM BLOCKER)	piece	110
GSS TV EU	Ground separator	Sraight Shape	piece	30
GSB TV EU	Ground separator	Bent Shape	piece	30
GSS Aerial F-CON	Ground separator	Fem to Fem F-Pin + 2 Gold Male	set (3)	21

Loudspeaker connectors & terminations

<u>COMBICON Crimp</u>	Crimp Body CB-01 M6	For Classic 1.6,...	piece	4
	Crimp Body CB-02 M6	For Classic 2.5, Ply 2.0, Rondo 2.5,...	piece	4
	Crimp Body CB-04 M6	For Classic 4.0, Ply 3.4, Rondo 4.0,...	piece	4
	Crimp Body CB-06 M6	For Classic 6.0,...	piece	4
<u>SLEEVES</u>	Sleeve S1-2 Black or Red	For Classic 1.6, 2.5, Ply 2.0, Rondo 2.5	piece	0,6
	Sleeve S4-6 Black or Red	For Classic 4.0, 6.0, Ply 3.4, Rondo 4.0	piece	0,6
	Sleeve S-7 Black or Red	For Ply 3.4s	piece	1
	Sleeve S-9 Black or Red	For Sword	piece	1
	Sleeve S-15 Black or Red	For Quadrax	piece	1
<u>COMBICON M6</u>	M6 BODY Red	Fits up to 6 mm cable	piece	6
	M6 BODY Black	Fits up to 6 mm cable	piece	6
<u>COMBICON Part</u>	M6 Banana / BFA pin	Fits CombiCon M6 and Crimp M6	piece	3
<u>COMBICON Part</u>	M6 Spade part	Fits CombiCon M6 and Crimp M6	piece	3
<u>BOXCON</u>	Banana Chassis	High Quality Chassis plugs	pair	43

Loudspeaker cable

JenTech Sky II cables have multistranded Oxygen Free Copper, the wire has a OFC purity degree of 5 N (0,99999). High quality tooling for extrusion of the PVC insulation.

SKY II	2 x 1.6	Black, Transparent or White	200 m bobin	2,40 / m
SKY II	2 x 2.5	Black, Transparent or White	200 m bobin	3,80 / m
SKY II	2 x 4.0	Black, Transparent or White	100 m bobin	5,90 / m

SkyFlex / Round, twisted conductors and highly flexible, best of the JenTech Sky cable family, SkyFlex is particularly adapted for installation. The slim and flexible cable construction makes the cable ideal for wiring in conduits.

SKY FLEX	2 x 2.5	White	100 m bobin	5,80 / m
-----------------	---------	-------	-------------	-----------------

Digital Interconnect - HDMI - Ethernet v1.4 High Speed

JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	1m piece	34
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	1,5m piece	39
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	2m piece	42
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	3m piece	49
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	4m piece	56
JenTech HDMI	High Speed Ethernet	Silky White Braided Finish	5m piece	60
JenTech HDMI A - MINI C	High Speed Ethernet	Silky White Braided Finish	1m piece	38
JenTech HDMI A - MINI C	High Speed Ethernet	Silky White Braided Finish	2m piece	44